PRODUCT BROCHURE

KERN 326-14

Date: 10.03.2026

ENGLISH



Individual weight, OIML Class F1, 10 kg, Eco Shape, stainless steel polished

CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com

Scan here for more information

PRODUCT SHOWCASE





ENGLISH

DESCRIPTION

- Individual weight, OIML Class F1, 10 kg, Eco Shape, stainless steel polished (OIML)
- For this weight, we strongly recommend a box due to the very accurate weight class. You will find a selection in the accessories section
- For the verification you need a box. Please add a box for single weights.

SPECIFICATIONS

Article codes, product groups & Status information

Model article-code	326-14
Model-Serie	326
Assortment	KERN
Product Type	Test weights
Product group	OIML F1 Test weights
Product usage type	Main item;Accessories/Services
EAN code (Model)	4045761223622
Predecessor Model	326-14-2018a; 327-74; 329-14
Successor Model	326-14-2025e
Customs tariff number	84239090
Country of Origin	DE

Technical data - Primary

Nominal value	10 kg
Tolerance (OIML)	50 mg
Case aluminium	317-140-600
Case plastic	347-140-400
Case wood	317-140-100

Technical data - Construction

Material	stainless steel polished

Technical data - Measuring system

Nominal value	10 kg
OIML class	F1
OIML conform	yes
Tolerance (OIML)	50 mg
Density (kg/m^3)	7950

Technical data - Packing & Shipping

Dimensions packaging (W×D×H)	100×100×183 mm
Gross weight	10 kg
Net weight	10 kg
Shipping method	Parcel service
Packaging component - by weight - plastics	0 g
Delivery time	1 d

Optional Services

DAkkS Calibration	962-444

FUNCTIONS

Standard



Option



ENGLISH

ACCESSORIES

Model	Description
317-140-100	Wooden Box for Set of Weights KERN 317-140-100
317-140-600	Aluminium Protective Box KERN 317-140-600
347-140-400	Plastic Weight Box KERN 347-140-400
315-242	Tweezers KERN 315-242

SERVICES

Model	Description
962-444	DAkkS Calibration KERN 962-444
962-444R	DAkkS Recalibration KERN 962-444R
921-444	Guaranteed Plus-deviation (? +1/3 OIML) KERN 921-444