Baxtran

IB10-S

Indicator LCD

With checkweigher function
and multiple positions



More information in the QR code:
https://www.baxtran.com/en/indicators/IB10-S.html

Baxtran

info@baxtran.com | www.baxtran.com | www.giropes.com
is a brand of: GIROPÈS S.L. | Pol. Empordà Internacional | C/ Molló, 3 | 17469 VILAMALLA (Spain) | T.+34 972 527 212 | F.+34 972 527 211

Indicator

User-friendly and intuitive with different provisions

PCS | CHECK | MOVE | RS232 | RS232 | BAT INT | AC/DC | IP54 | NO VERIF

Features:


- Weight tare indicator.
- ABS housing. IP54 protection
- Waterproof keyboard with 5 function keys and ON/OFF keys.
- Backlight LCD display with six 25 mm height digits.
- Backlight of the display with 3 types: automatic, activated and deactivated.
- ABS support for column.
- Up to 4 load cells of 350Ω or 8 load cells of 700Ω.
- Operating temperature range: -10ºC +40ºC.
- Power supply with adaptor AC/DC 240Vac 50Hz.
- Rechargeable Internall battery 6V/4Ah.
- 100 hours approx. battery life with backlighting on.
- 150 hours approx. battery life without backlighting.
- Programmable gravity.
- Units: g/kg/lb
- RS232 output (PC and print formats).
- Unique range, multi-range or multi-interval.
- Auto switch off (programmable: from 1 to 99 minutes).

Functions:

- Accumulation
- Totalization
- Piece counting
- Zero
- Hold 4 modes: deactivate, filter for animals, peak value,
- stable weight and stable weight with auto cancel in zero
- Control of weight and pieces (limits function) with visual signal and alarm
- Tare

Checkweigher:

Colour-contrast checkweighing function to set a high/low target weight and required margin parameters.



Internal battery cover and joint design for inserting a floor stand or wall mount accessory



Floor stand or wall mount



Connection for platform indicator and power supply



ABS LCD indicator with internal battery that works continually for 100 hours







Baxtran IB10-S

Printing formats (weight or pieces):

- Simple print: weighing number and weight. Total number of weighed items and accumulated weight
- Ticket number printing. Gross. Tare. Detailed ticket number and weight printing.
- Printing with total ticket number and accumulated net total.

```
S/N   WT/KG
----------------
0001    1.000
0002    2.000
----------------
0002    3.000
```

```
TICKET NO.0001
G     3.000 kg
T     1.000 kg
N     2.000 kg
```

```
Total number
of tickets 0001
NET   2.000
```



VERSATILITY

The 180° reversible box system means that the IB10-S indicator can be used with all types of installations, from a floor stand to a wall mount installed above the operator.

POSITION A





POSITION B







Dimensions in mm

Baxtran IB10-S

INDICATOR BS10-S

#Code	Description	Packing dimensions (mm)	Packing weight (kg)	Net weight (kg)
261383	Indicator IB10-S	300 x 165 x 166	1,3	1

PRINTERS

#Code	Description
910034	Printer BTP-M300D / IMP27
910035	Printer POS 76 / IMP28
630065	Printer TM-U220 / IMP29
630056	Printer BTP-R180II / IMP27.4
910028	Mini-Printer IMP05 RS232
910029	Mini-Printer IMP05BT bluetooth
910036	Labeller OS-2130D / IMP37
630047	Labeller GODEX

ACCESSORIES

#Code	Description
910112	Stainless steel column (600 mm) with anodised aluminium fixation base
910029	Stainless steel column (600 mm) with painted fixation base
910030	Stainless steel column (300 mm) with painted fixation base
910031	Stainless steel column (300 mm) and fixation base
910016	Wall support indicator
910050	Semaphore accessory Red-Orange-Green

The IB10-S indicator is included in various Baxtran sets

APS



AIS / AIS-W



TS



Baxtran
is a brand of: GIROPÈS S.L. | Pol. Empordà Internacional | C/ Molló, 3 | 17469 VILAMALLA (Spain) | T.+34 972 527 212 | F.+34 972 527 211
info@baxtran.com | www.baxtran.com | www.giropes.com