Baxtran

OPTIMA Knight

INDUSTRIAL SCALES



LED indicator with internal battery and multiple functions for all sectors

Optima Knight T

PCS · CHECK · MOVE · BAT INT · AC/DC · 230V · IP54 · NO VERIF

Bench scale

Industrial scale with column with functions of checkweighing, piece counting, tare and zero adjustment.


PLATFORM FEATURES:

- Platform of tubular structure in painted steel, with stainless steel pan and stainless steel column.
- Aluminium load cell with IP65 protection.
- Column of 649 mm with a base of attachment in painted steel.
- 4 adjustable feet in height, with an increase of up to 13 mm.

INDICATOR FEATURES:

- Weight tare indicator.
- ABS housing. IP54 protection.
- Waterproof keyboard with 6 function keys.
- LED display with 6 digits of 40 mm.
- Power supply AC 230VAC 50Hz.
- Rechargeable battery 6V/4Ah.
- 40-hour rechargeable internal battery.
- Units: g/kg
- Standby mode (programmable: from 1 to 99 minutes).
- RS232 output to computer.





Code #	Pan dimensions (mm)	Capacity (kg)	Readout (g)	Packing dimensions (mm)	Packing weight (kg)
260803	400x300	30	5	800 x 430 x 190	8.5
260804	400x300	60	10	800 x 430 x 190	8.5
260805	400x300	150	20	800 x 430 x 190	8.5
260806	500x400	30	5	850 x 450 x 170	12
260807	500x400	60	10	850 x 450 x 170	12
260808	500x400	150	20	850 x 450 x 170	12
261520	600x450	150	20	1000 x 580 x 200	15
261521	600x450	300	50	1000 x 580 x 200	15

Certifications	Dimensions (mm)			
ENAC				
Code #	c	d	e	h
900001	56	115	520	840
900001	56	115	520	840
900002	56	115	520	840
900001	50	112	630	840
900001	50	112	630	840
900002	50	112	630	840
900002	50	125	725	880
900002	50	125	725	880

Baxtran

PCS | CHECK | MOVE | BAT INT

AC/DC | 230V | IP54 | NO VERIF

Optima Knight

Bench scale

Industrial scale without column with functions of checkweighing, piece counting, tare and zero adjustment.


PLATFORM FEATURES:

- Platform of tubular structure in painted steel, with stainless steel pan.
- Aluminium load cell with IP65 protection.
- 4 adjustable feet in height, with an increase of up to 13 mm.
- Cable length platform-indicator: 1200 mm.

INDICATOR FEATURES:

- Weight tare indicator.
- ABS housing. IP54 protection.
- Waterproof keyboard with 6 function keys.
- LED display with 6 digits of 40 mm.
- Power supply AC 230VAC 50Hz.
- Rechargeable battery 6V/4Ah.
- 40-hour rechargeable internal battery.
- Units: g/kg
- Standby mode (programmable: from 1 to 99 minutes).
- RS232 output to computer.






Indicator support



Power supply



Indicator - platform connection

Code #	Pan dimensions (mm)	Capacity (kg)	Readout (g)	Packing dimensions (mm)	Packing weight (kg)	Certifications ENAC Code #	Dimensions (mm) c	Dimensions (mm) d
260797	400x300	30	5	800 x 430 x 190	8	900001	56	115
260798	400x300	60	10	800 x 430 x 190	8	900001	56	115
260799	400x300	150	20	800 x 430 x 190	8	900002	56	115
260800	500x400	30	5	850 x 450 x 170	10,5	900001	56	115
260801	500x400	60	10	850 x 450 x 170	10,5	900001	56	115
260802	500x400	150	20	850 x 450 x 170	10,5	900002	56	115
261518	600x450	150	20	860 x 450 x 170	12	900002	50	125
261519	600x450	300	50	860 x 450 x 170	12	900002	50	125

Baxtran

Discover +

Baxtran

Baxtran is a consolidated brand of Giropès. It is specialized in weighing scales and devices. We offer a wide range of weighing products to cater the necessities of different commercial and industrial sectors, even kitchen scales.
Baxtran range includes devices like laboratory scales with high accuracy from 0,0001 g to other with high capacity like weighing hooks for cranes up to 30.000 kg or more.



Baxtran

info@baxtran.com | www.baxtran.com | www.giropes.com
is a trade brand of: GIROPÈS S.L. | Pol. Empordà Internacional | C/ Molló, 3 | 17469 VILAMALLA (Spain) | T.+34 972 527 212