



LABELLER SCALE

**TOUCH SCREEN SCALE FOR ALL TYPES
OF ESTABLISHMENTS, FROM SMALL BUSINESSES
TO LARGE SURFACES.**

\$75

**INTUITIVE
USE**

www.baxtran.com



S75

S75P/S75P^{DUAL}

PREPACKING LABELLER COMPACT MODEL

- > LABELLER
- > MODEL SCREEN WITHOUT COLUMN OR DOUBLE SCREEN
- > DOUBLE USE MODEL:
BACKROOM AND/OR PACKING AT THE
MOMENT OF THE SELLING


- More than 25.000 PLU in memory
- More than 80 direct PLU on screen
- Integrated label printer
- Label customization
- Statistics
- Buyer display with configurable advertising
- Operational in €/kg, €/100g o €/u
- Automatic accumulation (loading and unloading weight)
- Manual accumulation
- Tare
- Zero
- Prepacking mode



**CONFIGURABLE
OPERATOR DISPLAY**




S75



SELLER DISPLAY

AVAILABLE
SOFTWARE
FOR PC





- Configuration and management of PLUs
- Consultation and download of sales statistics
- Label configuration
- Management of advertising on the buyer's screen

Baxtran
Reaching your progress

S75

S75P/S75P^{DUAL}



**CUSTOMER SCREEN
ACCORDING TO MODEL**

CONNECTIVITY

x2 - RS232
RJ45 - Ethernet
2 OUTPUTS USB

S75P^{DUAL}

CUSTOM ADVERTISING SCREEN



S75P

FEATURES:

- ABS House.
- Plate in stainless steel.
- Dimensions of the plate 387x276 mm.
- 1 display seller of 10" touchscreen
- 2 versions:
 - S75: Without column. 1 buyer display of 7".
 - S75P: Buyer screen in column (10").
 - S75P^{DUAL}: Double screen in column (10").
- High resolution LCD Display of 1280 x 200.
- Bubble level.
- Excitation to net with adapter AC/DC 100-240VAC 50-60Hz.
- Working temperature: 5°C to + 35° C.
- EC model approval with series verification.
- Software Back office TTC (download in www.baxtran.com).
- Embedded Linux Operating system.



10" DISPLAY
**interactive
touchscreen**



DATA TRANSFER



LABEL
customization



**integrated
LABELLER**



USB OUTPUT
CONNECTIVITY



Touch screen



Label customization



Labeller / Prepacking

S75

S75P/S75P^{DUAL}

S75 / S75P / S75P^{DUAL}

Code #	System	Doble screen in column	Column	Capacity (kg)	Readout (g)	Pan Dimensions (mm)	Packing Dimensions (mm)
260834 M	Linux			3/6	1/2	387 x 276	510 x 590 x 308
260835 M	Linux			6/15	2/5	387 x 276	510 x 590 x 308
260836 M	Linux			15/30	5/10	387 x 276	510 x 590 x 308
260828 M	Linux		•	3/6	1/2	387 x 276	600 x 445 x 345
260829 M	Linux		•	6/15	2/5	387 x 276	600 x 445 x 345
260830 M	Linux		•	15/30	5/10	387 x 276	600 x 445 x 345
260850 M	Linux	•	•	3/6	1/2	387 x 276	600 x 445 x 345
260851 M	Linux	•	•	6/15	2/5	387 x 276	600 x 445 x 345
260852 M	Linux	•	•	15/30	5/10	387 x 276	600 x 445 x 345

ACCESORIES

COMPLEMENT YOUR SCALES
WITH THE DESIRED PERIPHERALS



USB KEYBOARD

Code #	Description
580239	USB Keyboard



PANS TO WEIGHT FRUIT

Code #	Description
270158	Pans to weight fruit BTM400-7



BAR CODE SCANNER SCANBC

Code #	Description
910049	Bar code scanner



CONSUMABLES

Code #	Description
720005	60 x 60 mm Thermal label for S75 scale

Official distributor

SERIE TOUCH

RETAIL SCALES
WITH TOUCH SCREEN

TPV SCALES
TICKET

PACKING SCALES
LABEL