# PRODUCT BROCHURE

# KERN YKI-11

Date: 11.03.2026

ENGLISH




RS-232/Ethernet-Converter


## CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

Phone : +49 7433 9933-0
Fax : +49 7433 9933-149
Email : info@kern-sohn.com
Web : www.kern-sohn.com


Scan here for more information

## PRODUCT SHOWCASE



ENGLISH

## DESCRIPTION

- Converter for connecting scales, force measuring instruments, etc. with an RS-232 data interface to an IP-based Ethernet network
- Allows direct integration of measuring devices into most company networks, with automatic configuration using DHCP or statistical IP allocation. The current measurement data can be accessed from the entire network at any time
- The converter supports a wide range of configuration options via the web interface
- Compatible with KERN BalanceConnection software
- Suitable for wall mounting or free-standing
- Included with delivery: RS-232/Ethernet converter with 2 × RS-232 ports, mains adapter (EU). The two RS-232 ports make it possible to connect and manage two scales or measuring devices in parallel

## SPECIFICATIONS

### Article codes, product groups & Status information

| | |
|---|---|
| Model article-code | YKI-11 |
| Model-Serie | YKI |
| Assortment | KERN |
| Product Type | General weighing accessories |
| Product group | Accessories (printer, etc.) |
| Product usage type | Accessories/DL |
| EAN code (Model) | 4045761483378 |
| Predecessor Model | YKI-01 |
| Customs tariff number | 84239010 |
| CE Label | yes |
| Country of Origin | CN |

## Technical data - Power supply

| | |
|---|---|
| Mains adapter | Power supply unit |

## Technical data - Packing & Shipping

| | |
|---|---|
| Dimensions packaging (W×D×H) | 210×155×55 mm |
| Gross weight | 0.40 kg |
| Net weight | 0.20 kg |
| Shipping method | Parcel service |
| Packaging component - by weight - cardboard | 194 g |
| Delivery time | 1 d |

## FUNCTIONS

Standard




## SPARE PARTS

| Model | Description |
|---|---|
| YKA-11 | Power supply KERN YKA-11 |

## SOFTWARES

| Model | Description |
|---|---|
| SCD-4.0-DL | BalanceConnection Standard KERN SCD-4.0-DL |